

Support Group Application Note

Number: 262

Issue: 0.3

Author:DW



## Risc PC Screen Resolutions and Colour Combinations

This Application Note provides a comparison of the Risc PC's screen resolution capability with existing video standards and older screen mode numbers. The maximum number of colours supported under each standard for a range of current Acorn monitors is also given.

Applicable  
Hardware :

Risc PC 600 series

Related  
Application  
Notes:       None

Every effort has been made to ensure that the information in this leaflet is true and correct at the time of printing. However, the products described in this leaflet are subject to continuous development and improvements and Acorn Computers Limited reserves the right to change its specifications at any time. Acorn Computers Limited cannot accept liability for any loss or damage arising from the use of any information or particulars in this leaflet. Acorn, the Acorn Logo, Acorn Risc PC, ECONET, AUN, Pocket Book and ARCHIMEDES are trademarks of Acorn Computers Limited.

ARM is a trademark of Advance RISC Machines Limited.  
All other trademarks acknowledged.  
©1994 Acorn Computers Limited. All rights reserved.

Support Group  
Acorn Computers Limited  
Acorn House  
Vision Park  
Histon, Cambridge  
CB4 4AE

The following table gives information on the range of Acorn monitors and standard resolutions supported by Risc PC with all VRAM configurations, and examples of typical backward-compatible numbered screen modes which display these resolutions.

Pixels: Standard:	Resolutions						
	640x256 (CGA)	896x352 (EGA)	640x480 (VGA)	800x600 (SVGA)	1024x768 (XGA)	1280x1024	1600x1200
Equivalent Screen Modes	12/15	39/40	27/28	31			
Monitors							
AKF30/40	✓	✗	✗	✗	✗	✗	✗
AKF50/52	✓	✓	✓	✓	✗	✗	✗
AKF60 (Letterbox)		✗	✓	✓	✓	✗	✗
AKF85 (Letterbox)		✗	✓	✓	✓	✓	✓
Video Memory	Number of Colours Displayable						
No VRAM	32k	32k	256	256	16	-	-
1Mb VRAM	32k	32k	32k	32k	256	-	-
2Mb VRAM	16M	16M	16M	16M	32k	256	16

The AKF85 can be made to operate in a 1600x1200 screen mode; a suitable Monitor Definition File is available from Acorn Customer Services.

Support Group Application Note

Number: 262

Issue: 0.3

Author:DW



## Risc PC Screen Resolutions and Colour Combinations

This Application Note provides a comparison of the Risc PC's screen resolution capability with existing video standards and older screen mode numbers. The maximum number of colours supported under each standard for a range of current Acorn monitors is also given.

Applicable  
Hardware :

Risc PC 600 series

Related  
Application  
Notes:       None

Every effort has been made to ensure that the information in this leaflet is true and correct at the time of printing. However, the products described in this leaflet are subject to continuous development and improvements and Acorn Computers Limited reserves the right to change its specifications at any time. Acorn Computers Limited cannot accept liability for any loss or damage arising from the use of any information or particulars in this leaflet. Acorn, the Acorn Logo, Acorn Risc PC, ECONET, AUN, Pocket Book and ARCHIMEDES are trademarks of Acorn Computers Limited.

ARM is a trademark of Advance RISC Machines Limited.  
All other trademarks acknowledged.  
©1994 Acorn Computers Limited. All rights reserved.

Support Group  
Acorn Computers Limited  
Acorn House  
Vision Park  
Histon, Cambridge  
CB4 4AE

The following table gives information on the range of Acorn monitors and standard resolutions supported by Risc PC with all VRAM configurations, and examples of typical backward-compatible numbered screen modes which display these resolutions.

Pixels: Standard:	Resolutions						
	640x256 (CGA)	896x352 (EGA)	640x480 (VGA)	800x600 (SVGA)	1024x768 (XGA)	1280x1024	1600x1200
Equivalent Screen Modes	12/15	39/40	27/28	31			
Monitors							
AKF30/40	✓	✗	✗	✗	✗	✗	✗
AKF50/52	✓	✓	✓	✓	✗	✗	✗
AKF60 (Letterbox)		✗	✓	✓	✓	✗	✗
AKF85 (Letterbox)		✗	✓	✓	✓	✓	✓
Video Memory	Number of Colours Displayable						
No VRAM	32k	32k	256	256	16	-	-
1Mb VRAM	32k	32k	32k	32k	256	-	-
2Mb VRAM	16M	16M	16M	16M	32k	256	16

The AKF85 can be made to operate in a 1600x1200 screen mode; a suitable Monitor Definition File is available from Acorn Customer Services.

Support Group Application Note

Number: 262

Issue: 0.3

Author:DW



## Risc PC Screen Resolutions and Colour Combinations

This Application Note provides a comparison of the Risc PC's screen resolution capability with existing video standards and older screen mode numbers. The maximum number of colours supported under each standard for a range of current Acorn monitors is also given.

Applicable  
Hardware :

Risc PC 600 series

Related  
Application  
Notes:       None

Every effort has been made to ensure that the information in this leaflet is true and correct at the time of printing. However, the products described in this leaflet are subject to continuous development and improvements and Acorn Computers Limited reserves the right to change its specifications at any time. Acorn Computers Limited cannot accept liability for any loss or damage arising from the use of any information or particulars in this leaflet. Acorn, the Acorn Logo, Acorn Risc PC, ECONET, AUN, Pocket Book and ARCHIMEDES are trademarks of Acorn Computers Limited.

ARM is a trademark of Advance RISC Machines Limited.  
All other trademarks acknowledged.  
©1994 Acorn Computers Limited. All rights reserved.

Support Group  
Acorn Computers Limited  
Acorn House  
Vision Park  
Histon, Cambridge  
CB4 4AE

The following table gives information on the range of Acorn monitors and standard resolutions supported by Risc PC with all VRAM configurations, and examples of typical backward-compatible numbered screen modes which display these resolutions.

Pixels: Standard:	Resolutions						
	640x256 (CGA)	896x352 (EGA)	640x480 (VGA)	800x600 (SVGA)	1024x768 (XGA)	1280x1024	1600x1200
Equivalent Screen Modes	12/15	39/40	27/28	31			
Monitors							
AKF30/40	✓	✗	✗	✗	✗	✗	✗
AKF50/52	✓	✓	✓	✓	✗	✗	✗
AKF60 (Letterbox)		✗	✓	✓	✓	✗	✗
AKF85 (Letterbox)		✗	✓	✓	✓	✓	✓
Video Memory	Number of Colours Displayable						
No VRAM	32k	32k	256	256	16	-	-
1Mb VRAM	32k	32k	32k	32k	256	-	-
2Mb VRAM	16M	16M	16M	16M	32k	256	16

The AKF85 can be made to operate in a 1600x1200 screen mode; a suitable Monitor Definition File is available from Acorn Customer Services.